UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration Washington, 25, D. C.

PLUS WAR PROPERTY EMS OF INTEREST TO REA BORROWER

Speedy Action Essential.. IF YOU DESIRE THESE MATERIALS

January 6, 1947

CONDITION:

New, unless otherwise shown.

PRICE:

As shown below, f.o.b. Carrier.

TIME LIVIT:

Telegraph us your order immediately as these materials are

held for REA activities for a very short period.

ORDER INSTRUCTIONS:

Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of telegram", and your plant procurement order, when necessary

ITEM NO.	. QUANTITY	DESCRIPTION	UNIT PRICE
1	4	DRAFTING TABLE, with dust cover, 84x42x40" wood, oak, I drawer and one tray inside of the drawer, adjusting device. Location: Hartford, Conn. Condition: Used	\$ 1.24
2	739	PIKE POLES, 10'. Loc: Philadelphia, Penn.	\$ 1.50
3	399	PIKE POLES, 12'. Loc: Philadelphia, Penn.	\$ 1.50
4 .	60,000 ft.	VIRE ROPE, 3/8" diameter, 6 x 19, const. phosphorous bronze. Reg-Lay-Non-performed. Fibre core. Loc. Spokene, Vashington	\$.09 pe
) 5		WIRE RCPE, 3/8" to 5/8", galvanized, hemp center. New and unused. Large quantities are now available on a bid basis. Bids must be placed by Jaunuary 14. Please advise us immediately quantity wanted, so we can place bids accordingly.	RARY

In all communications to REA concerning these items please refer to S'TP Release: 197A A JAN 1 4 1947

U. 3. DEPARTMENT OF ABRIOULTURE

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
6	2	FAN, electric, circulating, 12" desk type, oscillating, Gilbert A-37, 115V, AC, 60 cycle. Gilbert Electric Company. Used - Good	\$ 6.71
7	1	FAN, electric circulating, 10" oscillating desk type, GE, 115V, AC. 60 cycle. Used - Fair	\$ 5.00
8 -	1	FAN, electric circulating, 12" oscillating, desk type, 115V, AC, 60 cycle. Robbins & Meyers. Used - Good	\$ 6.71
9	1	FAN, electric circulating, 12" oscillating, desk type, AC. Gilbert Electric Company. Used - Fair - Repairs Required	6.71
10	1	FAN, electric GE, 4 blade, 12" pedestal, desk type, oscillating with heavy wire guard, equipped with General Electric AC motor, 110/120 V, 60 cyc	
		ABOVE ITEMS LOCATED AT NORTHINGTON GENERAL HOSPITATUSCALOOSA, ALABAMA	AL
11	9	FAN, circulator, industrial type, low stand model 26. Powered by Vestinghouse Electric Votor. 1/6 115 V, 2.85 amps, 50 cycle, 1 phase, 1725 RP*, with 48" 2 conductor cord & plug in & pull chain switch attached. 2 blade plastic fan 26" long, set in 28 wire case made of 6 ga. steel wire. Seven have 1 high pedestal. Two have 54" high pedestal. Used Good. Location: Birmingham, Alabama	HP. th a 3,"
12	61	FAT, electric circulating, 12", desk type, oscillating, 115V, AC, 60 cycle, Emerson type. Emerson Electric Company. Used - Good. Location: Tuscal Alabama	1
13	5	STANDS, high pedestal for 26", freshened air fans Made of tubular steel, bright finish, size la x la high on metal base 22" diameter, 10" high painted dark finish. Overall high 54". Used - Good. Location: Birmingham, Alabama	\$ 5,28 45"
14	11,500	CAPS, blasting, 9/32" diam., 3" long with 2 lead wires of enameled cooper 12' long. Explosive elements are made of Lead Azide and Tetryle. The capare rated as approximately six times stronger than standard No. 6 cap. Caps are packed in cases of and 1,000 each. DuPont and Hercules. Unused - Go Location: Sidney, Nebraska	- ps 1.a 500
		Milanucit often. A. Jarner Pyles, Head	
NATI	CHVIDE	Surplus Var Property Office Management Division	

SURPLUS WAR PROPERTY EMS OF INTEREST TO REA BORROWERS

sential.. IF YOU DESIRE THESE MATERIALS

January 9, 1947

CONDITION: 48 JAN 1

New, unless otherwise shown.

PRICE:

As shown below, f.o.b. Carrier.

TIME LIMIT:

Telegraph us your order immediately as these materials are held for REA activities for a very short period.

Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of Telegram".

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
1	140	*GENERATORS, A.C., portable gas-engine driven 3000 W 26.1 amperes, 60 cycle, single phase.	\$ 452.00 ea.
*Referred to systems.	in SWP 190) for use as stand-by plants in connection $w/2-w$	ay comm
2	50	DRILLS, power included, portable type, type B jaw chuck, 1/4" long, 110 volt, AC, 1800 RPM, 1.7 amp., metal.	\$ 16.95 ea.
3	50	DRILLS, electric port, heavy duty, 5/8" cap, 110 volt, AC, DC, 8 amps, RPM load 275 chuck key 15', insulated extension cord w/plug.	\$ 63.75 ea.
4	42	RUNNERS, nut electric 110 volt, universal current, adjustable clutch non-reversible complete with screwdriver and attachment, capacity 5/8".	\$ 102.00 ea.
5	50	EXTINGUISHERS, fire, carbon dioxide, hand permanent seat type capacity 15 lb.	\$ 23.30 ea.
LOCATION OF A	BOVE ITEMS	S: Warren, Ohio	
	nimum	PLIERS, diagonal. Mfg: Crescent Tool Co. (Mathias Klein & Sons Co.) #942, Use: wire cutting, 5 in. steel, blue temper finish.	\$.70 ea.

Location: Washington, D.C.

In all communications to REA concerning these items, please refer to SWP Release: 198A

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
7	59	BENCHES, work, laminated hardwood top metal legs, 60 x 30 l drwr, Mfgd. Hallowell. Condition: Used-Good. Location Dothan, Alabama	on: \$10.00 ea,
8	30	FIRE EXTINGUISHERS, CO 2 w/brackets, size 4#, Mfgr. American LaFrance Foamite Corp., Elmira, N.Y., Alfite Speedex portable carbon dioxide. Location: Cleveland, Ohio	
		TRANSFORMERS, Outdoor Substation, 500 KVA, 13800/460 volsingle phase, 60 cycle, 4.6 percent impedence, full wave impluse levels, H.J. 95, L.V. 60 KV, Type C, subtractive cooled, four bushings, two on top front, two on top reared. Location: Louisville, Ky.	ea.
10	50	GAGES, wire Amer. CR STB 1-to-35, circular type. Mfg. O'Donnell Motor Co. Location: Washington, D. C.	\$ 1.55 ea.
	Storage Buildings	WIDTH LENGTH HEIGHT WEIGHT 32 ft. 98 ft. 12 ft. 13,700#	\$4,250.00
12 · . 13 14 ·		32 ft. 84 ft. 12 ft. 12,000# 32 ft. 70 ft. 12 ft. 10,500# 32 ft. 56 ft. 12 ft. 9,000#	3,650.00 3,250.00 2,850.00
15 16 ALL S OC:	TRUSS SPAI	32 ft. 42 ft. 12 ft. 7,500# 32 ft. 28 ft. 12 ft. 5,800# ES, KNOCKED-DOWN, ALUMINUM CORRUGATED WALLS AND ROOF: COLVEY 32'0". Each building includes two (2) sets of double su	2,250.00 1,450.00 JANS 14'0", wing doors;
panel 10'0"	s and fran	ole and of building. If door at one end of building only ming for closing end can be furnished at no extra charge. high. LOCATION: Vicinity of Ohio	
a. door b.	For 12'0" set For addit:	wide double swing door instead of 10'0" wide door, ADD perional double swing doors 10'0" wide x 11'9" high, including	\$ 45.50
door c.	set (450#) For additi	and foot bolts to be added in any 14'0" side bay, ADD per) ional double swing doors 12'0" wide x 11'9" high, including and foot bolts, to be added in any 14'0" side bay, ADD per	Control of the Contro
door d.	set (500#) For window		\$168.00 itty)
ADD (170#) For 14'0"	interior section, complete including framing and corrugat	\$ 75.00 ted
f.	For 14!0"	, ADD per section (1588#) interior section, roof only, including trusses bracing as per section (760#)	\$390.00
		I have they be	

LIBRARY
GUMMENT SMEAL RECORD

\$\triangle\$ JAN 2 1 1947 \$\triangle\$

SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

Speedy Action Essential. IF YOU DESIRE THESE MATERIALS

January 13, 1947

CONDITICH:

New, unless otherwise shown.

PRICE:

As shown below, f.o.b. Carrier.

TIME LIMIT:

Telegraph us your order immediately as these materials are

held for REA activities for a very short period.

ORDER INSTRUCTIONS:

Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of telegram", and

your plant procurement order, when necessary.

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
1	3	FANS, Electric Hunter Pedestal Type 24" Dia. 4 Chromium Blades Pedestal Adjustable from $3\frac{1}{2}$ to 5 ft. heavy cast metal base. Chromium and frosted black baked finish. Motor: AC Type A 242; 1/6 H.P. 60 cy. 1 PH, RPM 1130/840; Amps. 2.2; volts, 110/20. Condition: Used-Good. Location: Detroit, Michigan	39.98 ea.
2	4	FANS, Electric Diehl, Pedestal Type. Dia. 24". 3 Chrom- ium overlapping blades. Pedestal adjustable in height from 5 ft. to 8 ft. Heavy cast metal base. Chromium and frosted black baked finish. Motor: AC Type C, Frame 66, 1/4 HP, 1140 RPM, 115/230 volt, 60 cy., 2.8/1.4 amps; 1 phase, rating 55° C. Condition: Used-Good. Location: Detroit, Michigan	39.98 ea.
3	1	FAN, pedestal type, GE. Condition: Used-Good. Location: Detroit, Michigan	8.79 ea.
4	. 1	FAN, pedestal type, Westinghouse. Condition: Used- Good. Location: Detroit, Michigan (1627)	6.60 ea.
5	1	FAN, pedestal type, GE, 18". Condition: Used-Good. Location: Detroit, Michigan.	8.79 ea.

In all communications to REA concerning these items, please refer to SWP Release: 199A

ITEM NO.	QUANTITY	DESCRIPTION	UNIT
6	15	CABINETS, Acme visible Record, 15 dr., no lock, O.G., 5 x 8 card. Location: Birmingham, Alabama	\$ 38.40 ea.
7	13,812' (100 ft. per roll)	CABLE, power & lighting, armored, 3 cond. #6, BX stranded, 600 V, service and under. Mfr. GE or equal. Location: Gadsden, Alabama	\$.20 ft.
8	31,045' (250 ft. per roll)	CABLE, power & lighting, armored, 3 cond. #10 BX Solid, 600 V, service and under, Mfr. G. E. or equal. Location: Gadsden, Alabama	\$.13 ft.
9	1	TRANSFORMER, Distribution, single phase, 60 cycle, 200 KVA, 125 gallons oil, Type L.A. 2400/4160Y-240/480, continuous rise 55 degree C. Mfg. Line Material Co. 42" x 29" x 68" with oil. Condition: Used-useable w/o repairs-Fair. Location: Huntsville, Alabama	\$700.00 ea.
_ 10	1	TRANSFORMER, Distribution, single phase, 60 cycle, 200 KVA, 124 gallons oil, Type L.A., 2400/4160Y-240/480, continuous rise 55 degree, Mfg. Line Material Co. with oil. Condition: Used-useable w/o repairs-Fair Location: Huntsville, Alabama	\$700.00 ea.
11	1	TRANSFORMER, Distribution, single phase, 60 cycle, 200 KVA, 124 gallons oil, type L.A., 2400/4160-Y-240/480, continuous rise 55 degree, Mfg. Line Material Co. 42" x 29" x 6'8" with oil. Condition: Used-useable w/o repairs-Fair. Location: Huntsville, Alabama	\$700.00 ea.
12	90	AXLES, Front with Brakes, Hubs and Drums used on T207-211-T215 Dodge half ton 4x4, 1941. Mfr. part No. 920657, manufactured by Chrysler Motor Co. Location: Toledo, Chio	\$ 75.00 ea.

SPECIAL MOTE: These axles are for 1-Ton, 4x4 Dodge weapon carriers, command cars, or any other Dodge, 1-Ton, 4x4 which we obtained for various REA cooperatives through surplus war property and are the spare parts which the cooperatives asked us to obtain for them.

GRIPS, for wire, come along type, #0 wire or smaller, \$ 2.24 250 31 Diameter. Ring galvanized. Location: Pasco, Washington ea.

SPECIAL FOTE: We have ordered these grips sent to North Dakota 19. All cooperative desiring them should send their orders to Nodak Rural Electric Cooperative, Inc., Box 682, Grand Forks, North Dakota.

> J. Warner Pyles, Head Surplus War Property Office Management Division

Marner yles.

SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

Speedy Action Essential .. IF YOU DESIRE THESE MATERIALS

January 15, 1947

CONDITION.

New, unless otherwise shown.

PRICE:

As shown below, f.o.b. Carrier.

TIME LIMIT:

Telegraph us your order immediately as these materials are

held for REA activities for a very short period.

PRDER INSTRUCTIONS:

Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of telegram", and your plant procurement order, when necessary.

ITEN	4		UNIT
NO.	QUANTITY	DESCRIPTION	PRICE
11	2863	VOLTMETERS, A.C., 0-150 volts. Triplett model #332-JPB. White dial with black needle and lettering. 3-1/4" over-	
The state of	a de limite	all O.D. with 3 equally spaced 1/8" holes around outside	
for	mounting.	. Location: Philadelphia, Penna.	
2	20	VOLTMETERS, A.C., 0-150, model 330. Bakelite case 2-3/4" dia. x 1-5/16" deep, flange 3-1/2" dia. with 3	\$ 6.05 ea.
		holes 1/8" dia. evenly spaced for mounting on control	
boar	rd. Pos. and	Neg. terminals. Mfgr. Triplett Electric Instrument Co.	
Loca	tion: Phila	delphia, Penna.	

SPECIAL NOTE: Items 1 and 2, above, portable voltmeters, have been obtained from Surplus Property at the request of many cooperatives for voltmeters of this type to be placed on each truck and in the equipment of each workman so that periodic readings can be taken of the voltage conditions at any part of the system. Leads no be attached to the voltmeters with clips so that the workmen can attach the voltmeter to the secondary side of any transformer to determine the exact voltage condition either at peak periods or at any time. It is felt that these meters will be very valuable to all cooperatives.

CARLES, heavy portable, 3 conductor, #1 AWG, 259 strand \$ 30.00 ea.

(7 x.37) rubber insulated, rubber jacketed, 600 volts, 150

feet long, 1-3/8 0.D. complete with cable connectors 1
ale, 1-female. Type XVII: Location: Sidney, Nebraska

In all communication to REA concerning these items, please refer to SWP Release; 200A

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
4	13,734	BOLTS, Double Arming, 5/8 x 20", galvanized, 4 nuts, threaded entire length. Location: Atlanta, Georgia	\$ 16.00 C
5	32	CANT HOOK, Peavy Leach Co., location: Atlanta, Ga.	\$ 3.25 ea
6	18	GRIPS, Chicago, for 3/16" @ 1/2". Location: Atlanta, Ga	.\$ 2.90 ea
	83	CABLE GRIPS, with pulley 3/8", Western Electric N-6. Location: Atlanta, Georgia	\$ 2.35 ea.
Power spec:	oping speemption: stactor co Power Uni 8/4 HP, 115 transmiss coperation leep, inclu	MACHINE, Ozalid Model "B" White Print, complete with all Standard equipment. Ser. No. 6050. Machine Capacity: Roll stock or cut sheets up to 42" wide; printing and ds up to 20' per minute. Single color white print. Electraring 28 amps at 215 volts; operating 22 amps at 215 volts; rect to 85%. In-Put RPM 1300; output RPM 0 to 370. Other t, Electrical and other equipment included, i.e. General Electrical and other equipment included	ea. cical cical cical cical dectric able ato- high,
9	100 Minimum order 4)	PAULINS, hull covering, canvas, 150 in. wide x 274 in. long, four ropes on each end 96 in. long, twelve ropes on each side 36 in. long Location: Jacksonville, Florida	\$ 17.50 ea
10	1	TRANSFORMER, 75 KVA, Line Material, top bushing, Prim volt 7200/12470Y, Sec. Volt 240/480, type LA Impedance 4%. oil 68 gallon. Condition: Used-Good. Loc: Williams	\$ 403.70 ea
150 H	Phase, Ty WA; 6900 t	TRANSFORMERS, 150 KVA, Type RAFCBX, Voltage Primary 7500; Amp 200; 7.5. KV. Cat. #RAFC52BX2T R: Sale #P1 1248 F.D. Each has mounted on rear, 1 Westinghouse, pe S.T., Power Distributo Inertren Transformer Self cooled o 208/120 Volts, 60 cycle Impedance 3.6% at above rating full load continuously 55 deg. C Mfg. G & W Elec. d. Location: Indiantown Gap, Penna.	\$ 525.00 ea
12	1	TRANSFORMER, 50 KVA, OISC, 6900/240/480 volts, single phase, 60 cyl., Maloney. Location: Williamsport, Pa. Condition: Used-Reconditioned-Good	\$ 310.00 ea
13	1	TRANSFORMER, 50 KVA, Maloney, Type KL, Volt 7200/12470Y, Sec. Volt 120/240, OISC, w/2 brackets for hanging. Condition: Used Good. Loc: Williamsport, Pa. 30117007407 10 1211111111111111111111111111111111	\$ 310.00 ea

Reserve 1,933 Su7

SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

Speedy Action Essential.. IF YOU DESIRE THESE MATERIALS

January 20, 1947

CONDITION:

New, unless otherwise shown.

PRICE:

As shown below, f.o.b. Carrier.


TIME LIMIT:


Telegraph us your order immediately as these materials are held for REA activities for a very short period.

ORDER INSTRUCTIONS: Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of Telegram", and your Plant Procurement Order, when necessary.

	IT		CUANTITY	DESCRIPTION	 UNIT PRICE
		Min. 5,000	25,4 22 ft.	TAPE, cellulose, 1 ⁿ , Comm. Clear, Condition: Unused-Good. Located at Highland Park, Michigan	\$.05
21	2	Min. All	9,000	PAPER BAGS, Kraft, 1 lb., Condition: Unused-Good Located at Dearborn, Michigan	\$.70 M
ST.	3	Min.	24 rls	PAPER, Moisture Proof, 48", Condition: Unused-Good. Located at River Rouge, Michigan	\$.04 lb.
	4	Min. All	36 rls	WAX WRAPPING PAPER, 36" wide, 100# ea, Mfg. Chop Stevens Co., Condition: Unused-Good. Location: River Rouge, Michigan	\$.01 sq. yd.
		Min. 25 rls	456 rls	TAPE, cellophane, Bauer & Black transparent #88, 2" cellophane tape in 72 yd. rolls. Condition: Unused-Good. Location: River Rouge, Michigan	\$.92 rl
	6	Min. 25 rl	327 s rls	TAPE, Transparent Acetate, 2". Location: River Rouge, Michigan	\$.92 rl.
	7	Min.	1,900	WAX PAPER, Clear, 24" x 36". Location: River Rouge, Michigan	\$.06 lb.
	8	Min.	373 rls	TAPE, cellulose, 3/4 x 2592 inches, located at River Rouge, Michigan	\$.36 rl

REFRIGERATION LOCKER PLANTS ONLY
In all communications to REA concerning
these items, please refer to SWP Release: 202





SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

Speedy Action Essential. IF YOU DESIRE THESE MATERIALS

January 23, 1947

COMDITION: New, unless otherwise shown.

PRICE: As shown below, f.o.b. Carrier.

TIME LIMIT: Telegraph us your order immediately as these materials are held for REA activities for a very short period.

ORDER INSTRUCTIONS: Telegraph order should include order number. In addition,

mail two copies of your order marked "Confirmation of Telegram",

and your plant procurement order, when necessary.

ITI NO.		DESCRIPTION		NIT RICE
1	2	CHAIRS, Walnut, Steno, Posture, Non-Tilting, Brown Leather Upholstered. Condition: Used-Good. Loc: Lawrence, Kansas	\$	4.50 ea.
2	12	CHAIRS, Walnut, Cramer Steno, Posture, Non-Tilting, Brown Upholstered Cloth. Cond: Used-Good. Loc: Lawrence, Kansas	\$	4.50 ea;
3	5 Minimum order 2	SECTIONS, Filing Blue Print, Map & Plans, wood construction, size 47"x342" deep x 19 3/4" high w/6 dwrs 33" long x 45" wide x 2" deep, color olive green. Packed 2 ea. per crate. Cond: Used-Fair. Loc: Pratt,	`	26.00 ea.
W. Um	Onan Co., Mdl	GENERATORS, 5 KW, 1800 RPM, 115 V., 60 cycle, single phase, push button electric battery start, mfgd. by D. WC7.5S. Water cooled engine, gasoline driven. Cond: cation: Edgewood Arsenal, Maryland	\$5	600.00 ea.
5	100	WIRE GRIPS, come along, ring type, for No. 0 or smaller steel wire. Riveted construction with serrated jaw on eccentric. Galv. finish. Location: Nashville, Tenn.	\$	2.50 ea.

In all communications to REA concerning these items, please refer to SWP Release: 204A

ITEM NO.	DESCRIPTION	UNIT PRICE
2,700 s units i anent;	USES, 40' x 70' eq. ft. UNOBSTRUCTED floor space; may be increased by 14' in length, split ring trusses. Heavy construction; perm- completely enclosed ALUMINUM sidewall and roof; precut ame. No waiting for scarce materials. A CLEAR SPAN.	\$2,950.00
LUMBER SIDEWALLS ROOF	All Southern yellow pine, treated to resist moisture, termites and decay; accurately cut, drilled, marked. Posts built up 6"x6". Purlins and girts 2"x6". Purlins about 28" centers. Studs, side and end wall bracing 2"x6". Side and end studs 24" on centers. Top chord 2"x8". Bo chord, brace and knee braces 2"x6". Truss studs 3"x6". Completely enclosed with heavy 2½" corrugated solid alum:	4". ttom
CLEARANCES	5-V Crimp heavy solid aluminum. 8 10 to under side of knee brace at sidewall. 18 to peak of roof. 12 4 to under side of bottom chord of truss.	
ALL CLEARANCES ERECTION INTERIOR DOOR SYSTEM	CAN BE INCREASED BY ERECTION ON A CURTAIN WALL. May be on wooden or concrete floor. Finish as you like. Any door system can be easily installed in the field. Ample covering for door included.	
WEIGHT	Doors themselves, floor system, windows not included (see below alternates and extras) 24,000 pounds	
	ALTERNATES AND EXTRAS	

Regular additional bay Additional bay less side wall Service door for entrance Pair Sliding doors, opening size " " " " " " " Swinging " " "	40' x14' 2'8"x6'8" 10' x11'9" 12' x11'9"	\$ 515.00 405.00 45.00 110.00 150.00
Double hung 12 light window (Sash unglazed)	10' x11'9" 12' x11'9" 3'4"x 5'4"	90.00 120.00 31.50

RATCHET CHAIN HOISTS, 3 ton, operates by means of a ratchet \$ 15.00 ea. which actuates a lifting sprocket, ratchet lever has universal action, hand wheel interlocked with lead brake, lead brake of Western screw and disc type, roller lead chain of heat treated steel, standard lift 54 in. pull on lever for full load 94 lbs., length of lever 17 7/16 in., Fin. distance between hooks 17 3/4 in., Moist speed F.P.M. with pull lead I ft., Standard length of chain 10 ft. wgt. 42 lbs. Location: Nashville, Tennessee

RATCHET CHAIN HOIST, $4\frac{1}{2}$ ton 72 in. lift, convertible to 6 \$ 17.50 ea. ton 52 in. lift. Operates by means of universal action ratchet, which actuates a lifting sprocket, hand wheel interlocked with load brake of Weston screw and disc type, steel roller load chain, 17 7/16 in. lever, hoist speed 5 in. FPM, wgt. 82 lbs. drop forged steel safety hooks. Location: Nashville, Tennessee J. Warner Pyles, Head

Surplus War Property Office Management Division

NATIONWIDE

1.933 5m7

SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

Speedy Action Essential .. IF YOU DESIRE THESE MATERIALS

January 24, 1947

COMDITION:

New.

PRICE:

As shown below, f.o.b. Carrier.

TIME LIMIT:

Noon, Wednesday January 29, 1947.

OPDER INSTRUCTIONS:

Telephone order should include order number. In addition, mail two copies of your order marked "Confirmation of Telephone" and your plant procurement order, when necessary.


FO.	QUANTITY	DESCRIPTION	PRICE	
1	20 tires	, 2 wheel pole, Rex utility, with two 900 x , with tongues and running lights. Chlahoma City, Oklahoma	\$ 275.00* or \$ 360.00*	

* If entire lot of 18 is requested by the cooperatives, the price will be \$275.00; otherwise, the less than lot price will be \$360.00 each.

WEDNESDAY

ORDERS MUST BE RECEIVED BEFORE TO 1 NOON BY TELEPHONE.

MATIONWIDE EXCEPT REGION 9



.....

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration Washington 25. D. C.

SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

Speedy Action Essential. IF YOU DESIRE THESE MATERIALS

January 29, 1947

CONDITION: New, unless otherwise shown.

PRICE: As shown below, f.o.b. Carrier.

In all communications to REA concerning these items please refer to SWP Release:

TIME LIMIT: Telegraph us your order immediately as these materials are held for REA activities for a very short period.


ORDER INSTRUCTIONS: Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of Telegram", and your plant procurement order, when necessary.

ITEM			UNIT
NO.	QUANTITY	DESCRIPTION :	PRICE
1	100	GENERATOR SETS, gasoline engine driven, 3 KW, 115 volts, 26.1 amperes, 1 phase, 60 cycles, 1800 RPM. Manufactured	\$ 312. ea.
portab	ole, skid mo	by D. W. Chan & Sons, Minneapolis, Minnesota, Model W3M, unted, manual control, horizontal mounting, self-exciting,	
standa	ard equipmen	t, driven by a 2 cylinder; vertical type,:2-3/4" stroke x	
3" bor	ce, 4 cycle,	water cooled, pressure and spray lubrication, governor	
		crank type gasoline engine. Has 3 gal. capacity tank.	
		uis, Missouri	
200201	ton. Do. Do	urs,	
2	31 cases	RULED PADS (ruled both sides), white, 100 sheets to pad. Size 82 x 10 with 3 lines to an inch. One case contains	\$ 14.
	. Criscs	240 pads of 100 sheets each or 6¢ per pad. Location: Richmond, Virginia	7111
3	115	SQUARE WASHERS, 24"x 2/16" with galvanized 11/16"	\$ 21.
	cases	holes. One case contains 1,000 washers.	cas
			¢ 70
4	27	MACHINE BCLTS, 5/8"x 8", galvanized. One package	\$ 19.
	packages	contains 200 bolts.	packa
5	30	SISAL ROPE, 7/16", each coil weighing 63 pounds.	\$ 15
200	coils		co:
6.	5 coils	SISAL ROPE, 9/16", each coil weighing 128 pounds.	\$ 32
	0		

206A

In all communications to REA concerning these items, please refer to SWP Release: 206B

NO.	QUANTITY	DESCRIPTION TO COMPANY OF THE PROPERTY OF THE		UNIT RICE
7	75	CLAMPS, Combination Wire and Sleeve, Klein 132-15	\$	2.50
LOCATIO	N OF ABOVE	ITEMS: Richmond, Virginia		ea.
8	21	CABINETS, office filing, legal size, w/o locks, dim: 19½ wide x 27 deep x 52 high, with 4 drawers size 18 wide x 25 deep x 10 high. Wood, oak veneer	\$	11.25 ea.
	346	Condition: Used-Fair		
9	58	CABINETS, office filing, legal size, $19\frac{1}{2}$ " wide x 27" deep x 52" high, w/o locks. With 4 drawers, size 18" wide x 25" deep x 10" high. Wood, painted OD. Cond: Use	\$ ed_1	11.25 ea.
LOCATIO	N OF ABOVE	ITEMS: Harvard, Nebraska		
10" high	of automates	CABINETS, filing, vertical, mfg. by Globe Wernicke, Cincinnati, Ohio. 19½ wide x 52½ high x 25 deep, wood, oak natural finish, 4 drawers, dim: 15 wide, ep, bakelite pull handles, approx. wt. 75 lb. each. Cond:	\$	11.25 ea.
11	48 _ TOO	Tay D. N. Owen & Bens, Minneapolis, Minneapolis, Minneapolis, Motol Mile.	\$	11.25
LOCATION	OF ABOVE	ITEMS: McCook, Nebraska	-	
DELE deep, 2" approx.	high. Wo	Lowry, dimensions: 46-3/4" wide 45" high, 36" deep; gum wood, olive green, 12 drawers, 43-3/4" wide, 32" od handles, consists of 2 sections, 1 base, and 1 top; s. Condition: Used-Poor. Location: McCook, Nebr.	E.ne	46.00
13		CHAIRS, office, executive, side arm, mfg. by Marietta Chair Co., Marietta, Ohio. Model 312-A, overall dim: 231 wide 20" deep 35" high, seat 19" wide 16" deep. Woorox. wt. 20 lbs. each. Location: McCook, Nebr. Cond:	\$ 3	4.00 ea.
14		CHAIRS, office, w/arms, straight back. Seat 20" wide x 18" deep. Overall height 35". Wood, painted O.D. Condition: Used-Fair. Location: Geneva, Nebraska	\$	4.00 ea.



UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration Washington 25, D. C.

LIBRARY
GURRENT SERIAL DECORD

★ FEB 7 1947 ☆

SURPLUS WAR PROPERTY
ITEMS OF INTEREST TO REA BORROWERS

Speedy Action Essential. IF YOU DESIRE THESE MATERIALS

January 30, 1947

CONDITION:

New, unless otherwise shown.

PRICE:

As shown below, f.o.b. Carrier.

TIME LIMIT:

Telegraph us your order immediately as these materials are held for REA activities for a very short period.

ORDER INSTRUCTIONS:

Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of Telegram", and your plant procurement order, when necessary.

ITEM NO.	QUANTITY	UNIT DESCRIPTION PRICE
1	2	CABINETS, Kardex File, wood, olive green, mfr., Remington-\$ 38.40 Rand, 15 drawer for 3" x 5" cards, overall size of cabinet ea. 82" x 22" x 27". Condition: Used.
2	2	CABINETS, filing, wood, 4 drawer, letter size, Condition: \$ 11.25 Used.
.3	. 6	FILES, visible, kardex, 15 drawers & one stand, $9\frac{1}{2}$ " x 22" \$ 51.00 x 27", 6" x 4" cards. Condition: Used.
4	1	BENCH, Wood, work, hardwood top; (maple), 96" x 24" x 36".\$ 7.50 ca.
5	5	BENCHES, Wood, work, hardwood top, (maple), 4' x 4' x 33",\$ 11.60 mfg. Standard Steel Co. Condition: Used.
6	1	BENCH, Work, 4' x 8' x 33" high, mfg. Standard Steel Co. \$ 13.20 condition: Used.
7	1	BENCH, Wood, work, hardwood top, (Maple), 10' x 36" x 34",\$ 30.00 mfg. Alcoa. Condition: Used.
8	12	BENCHES, Work, wood, with standard steel legs, (Mfg. by \$ 6.75 Standard Steel Co.,) 4' x 8' x 36" high. Condition: Used. ea.

In all communications to REA concerning these items, please refer to SWP Release: 207A

In all communications to REA concerning these items, please refer to SWP Release: 207B

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
1101		Course of the second designation is a contract of the second	THE STATE OF
9	3	BENCHES, work, wood, with standard steel legs, (Mfg. Standard Pressed Steel Co.,) 30" x 30" maple top laid on sub-floor of 2" x 6" pine. Condition: Used.	\$ 5.50 ea.

LOCATION OF ABOVE ITEMS: Dodson, Missouri

METAL SHELVING, one lot knocked down. Adjustable type. \$804.00 10 Mfg. Lyons Metal Products Inc., Aurora, Ill. Not packed. Type - Back, Length 87", Width - 36" - 1 Ea., Type - Back, 87" Length - 351" Width - 30 ea., Type-Back - Length - 87" - Width 29 7/8" -1 EA., Type - Back - 87" Length - 26 7/8" Width - 1 Ea., Type - Back - 87" Length - 354" Width - 1 Ea., Type - Back - Length 35 5/8" - Width 22" - 9 Ea., Type - Side - Length - 84" - Width 11-5/8" - 2 Ea., Type - Side - Length 37-5/8" -Width 8-3/4" - 7 Ea., Type - Side - Length 371", Width 8-3/4" - 7 Ea., Type -Side - Length 37", Width 11-3/4", 4 EA., Type-Side, Length 22" - Width 17-5/8" -1 Ea., SHELVES - Dimen. 36" x 24" - 7 Ea., Shelves - Dimen. 36" x 12" - 19 Ea., Shelves - Dimen. 36" x 9" - 11 Ea., Shelves Dividers - Dimen. 33" x 18" - 10 Ea., Shelves Dividers - Dimen. 17-7/8" x 131 - 1 Ea., Shelves Dividers 17 x 12" - 7 Ea., Shelves Dividers - Dimen. 161 x 9" - 1 Ea. X Braces 35-11/16" x 3/4" - 212 Ea., Braces 51" x 1" x 1/16" -12 Ea., Type, iron, uprights 87" length - 1-3/4" x 1" -42 Ea., Type - Angle iron, uprights 85-1/4" length - Angle 1 x 1, 13 Ea., Type -Angle iron, ledge uprights 37-1/8" Length - 1 x 1 Angle - 6 Ea., Type - T-iron uprights 87" length - 1 x 2-3/4 Angle - 1 Ea., Type - T-iron uprights 84" Length - 12 x 1-3/8" Angle - 24 Ea., Type - T-iron ledge uprights 37-7/8" Length -1-5/8" x 1-1/2" Angle - 6 Ea., Ledge top - 35-13/16" length - 2-3/4 x 12" Angle -14 Ea., Ledge tops 36" x 10" - 5 Ea., Bare strip 35-9/16" x 2" 1" turned edge, 62 Ea., Lable holders 39-9/16" long 4" wide - 1531 Ea., Compressed shelf clips 2-3/16" x $1\frac{1}{4}$ " 139 Ea. Condition: Used Location: Parsons, Kansas

11 69,210 GUY WIRE, Carbon Steel, 3/8" dia. 7 strand, double \$.03 ft. galvanized. Condition: Good. Location: Radford, Va. ft.

Regions I; II, VII, VIII

- BENCHES, Work, 72" x 30" x 32", legs, metal tops, \$16.17 maple floor. 1 3/4" x 1 3/4" stock, doweled and glued-ea. metal sliding dwr 2l 3/4" x 18". Condition: Used. Location: Kansas City, Kansas
- BENCH, work, 96" x 34" x 32", metal legs, sliding drawers \$ 37.50
 32" x 20\frac{1}{4}" x 6". Condition: Used. Location: ea.

 Kansas City, Kansas